

Selection guide

Polyester wall-mounting enclosures

Polyester wall-mounting enclosures IP66




Dimensions (mm)			ABS/PC wall-mounting enclosures IP66		Polyester wall-mounting enclosures IP66			
Height	Width	Depth	Plain door	Transp. door	Plain door	Transp. door	Plain door 3-point closure	Transp. door 3-point closure
Page 167								
310	215	160	NSYPLM32G	NSYPLM32TG	-	-	-	-
308	255	160	-	-	NSYPLM3025G	NSYPLM3025TG	-	-
430	330	200	-	-	NSYPLM43G	NSYPLM43TG	NSYPLM43VG	NSYPLM43TVG
530	430	200	-	-	NSYPLM54G	NSYPLM54TG	NSYPLM54VG	NSYPLM54TVG
647	436	250	-	-	NSYPLM64G	NSYPLM64TG	NSYPLM64VG	NSYPLM64TVG
747	536	300	-	-	NSYPLM75G	NSYPLM75TG	NSYPLM75VG	NSYPLM75TVG
847	636	300	-	-	NSYPLM86G	NSYPLM86TG	NSYPLM86VG	NSYPLM86TVG
1056	852	350	-	-	NSYPLM108G	NSYPLM108TG	-	-

Selection guide


Polyester wall-mounting enclosures

Mounting accessories




Dimensions (mm)			Metallic mounting plates				Insulating mounting plates		Modular distribution chassis	Step slides	Symmetrical DIN rail
Height	Width	Depth	Plain	Silkscreened	Microperforated	Telequick	Bakelite	Polyester			
			Page 214				Page 215		Page 176	Page 174	
310	215	160	NSYMM32	-	-	NSYMR32	NSYMB32	NSYMPP32	-	-	NSYCS200PLM
308	255	160	NSYMM3025	-	-	NSYMR3025	NSYMB3025	NSYMPP3025	NSYDLPLM18G	-	-
430	330	200	NSYMM43	NSYMS43	NSYMF43	NSYMR43	NSYMB43	NSYMPP43	NSYDLA24G	NSYDPLM200	NSYCS300PLM
530	430	200	NSYMM54	NSYMS54	NSYMF54	NSYMR54	NSYMB54	NSYMPP54	NSYDLA48G	NSYDPLM200	NSYCS400PLM
647	436	250	NSYMM64	NSYMS46	NSYMF64	NSYMR64	NSYMB64	NSYMPP64	NSYDLA48PG	NSYDPLM250	NSYCS400PLM
747	536	300	NSYMM75	NSYMS75	NSYMF75	NSYMR75	NSYMB75	NSYMPP75	NSYDLA66G and NSYDLA88G	NSYDPLM300	NSYCS500PLM
847	636	300	NSYMM86	NSYMS86	NSYMF86	NSYMR86	NSYMB86	NSYMPP86	NSYDLA84G and NSYDLA112G	NSYDPLM300	NSYCS600PLM
1056	852	350	NSYMM108	-	NSYMF108	NSYMR108	NSYMB108	NSYMPP108	NSYDLA234G	NSYDPLM350	NSYCS800PLM

Main accessories



Dimensions (mm)			Fixing lugs	Post-fixing device	Floor-mounting pillar	Coupling frame	Cable-gland plate	Internal door	Blanking plates	Plinth ZM RAL 7032
Height	Width	Depth	Page 172			Page 177		Page 173	Page 172	Page 171
310	215	160	NSYPFPLM32G	-	-	-	-	-	NSYCEPLMAG	-
308	255	160	NSYPFPLMG	-	-	-	-	NSYPA3025PLMG	-	-
430	330	200	NSYPFPLMG	NSYSFP300	-	-	-	NSYPAP43G	NSYCEPLMBG	-
530	430	200	NSYPFPLMG	NSYSFP400	NSYSFSPLMG	-	-	NSYPAP54G	NSYCEPLMBG	-
647	436	250	NSYPFPLMG	NSYSFP400	NSYSFSPLMG	-	-	NSYPAP64G	NSYCEPLMCG	-
747	536	300	NSYPFPLMG	NSYSFP500	-	NSYBUPLMG	NSYTLA4420G	NSYPAP75G	NSYCEPLMCG	NSYZM253G
847	636	300	NSYPFPLMG	NSYSFP600	-	NSYBUPLMG	NSYTLA4420G	NSYPAP86G	NSYCEPLMCG	NSYZM263G
1056	852	350	NSYPFPLMG	-	-	NSYBU108PLMG	NSYTLA6420G	NSYPAP108G	-	NSYZM283G

Water drain plug




Page 177

Rail-fixing nuts



Page 176

Ventilation louvre



Page 177

Selection guide

Polyester floor-standing enclosures

PB50289F-22



PB50289G-23



PB50289H-21



Dimensions (mm)				Completely sealed enclosures, IP65		Enclosures with open bottom part, IP54	
References of enclosures with door							
Height (A)	Width (B)	Depth (C)	N° of doors	Plain	Glazed ⁽¹⁾	Plain	
500	500	320	1	NSYPLA553G	NSYPLA553TG	NSYPLAZ553G	
		420	1	NSYPLA554G	NSYPLA554TG	NSYPLAZ554G	
	750	320	1	NSYPLA573G	NSYPLA573TG	NSYPLAZ573G	
		420	1	NSYPLA574G	NSYPLA574TG	NSYPLAZ574G	
	1000	320	2	NSYPLA5103G	NSYPLA5103TG	NSYPLAZ5103G	
		420	2	NSYPLA5104G	NSYPLA5104TG	NSYPLAZ5104G	
	1250	320	2	NSYPLA5123G	NSYPLA5123TG	NSYPLAZ5123G	
		420	2	NSYPLA5124G	NSYPLA5124TG	NSYPLAZ5124G	
750	500	320	1	NSYPLA753G	NSYPLA753TG	NSYPLAZ753G	
		420	1	NSYPLA754G	NSYPLA754TG	NSYPLAZ754G	
	750	320	1	NSYPLA773G	NSYPLA773TG	NSYPLAZ773G	
		420	1	NSYPLA774G	NSYPLA774TG	NSYPLAZ774G	
		620	1	NSYPLA776G	NSYPLA776TG	NSYPLAZ776G	
	1000	320	2	NSYPLA7103G	NSYPLA7103TG	NSYPLAZ7103G	
		420	2	NSYPLA7104G	NSYPLA7104TG	NSYPLAZ7104G	
	1250	320	2	NSYPLA7123G	NSYPLA7123TG	NSYPLAZ7123G	
		420	2	NSYPLA7124G	NSYPLA7124TG	NSYPLAZ7124G	
	1000	500	320	1	NSYPLA1053G	NSYPLA1053TG	NSYPLAZ1053G
			420	1	NSYPLA1054G	NSYPLA1054TG	NSYPLAZ1054G
		750	320	1	NSYPLA1073G	NSYPLA1073TG	NSYPLAZ1073G
420			1	NSYPLA1074G	NSYPLA1074TG	NSYPLAZ1074G	
1000		320	2	NSYPLA10103G	NSYPLA10103TG	NSYPLAZ10103G	
		420	2	NSYPLA10104G	NSYPLA10104TG	NSYPLAZ10104G	
1250		320	2	NSYPLA10123G	NSYPLA10123TG	NSYPLAZ10123G	
		420	2	NSYPLA10124G	NSYPLA10124TG	NSYPLAZ10124G	
1250		500	320	1	NSYPLA1253G	NSYPLA1253TG	NSYPLAZ1253G
			420	1	NSYPLA1254G	NSYPLA1254TG	NSYPLAZ1254G
		750	320	1	NSYPLA1273G	NSYPLA1273TG	NSYPLAZ1273G
			420	1	NSYPLA1274G	NSYPLA1274TG	NSYPLAZ1274G
	620		1	NSYPLA1276G	NSYPLA1276TG	NSYPLAZ1276G	
	1000	320	2	NSYPLA12103G	NSYPLA12103TG	NSYPLAZ12103G	
		420	2	NSYPLA12104G	NSYPLA12104TG	NSYPLAZ12104G	
	1250	320	2	NSYPLA12123G	NSYPLA12123TG	NSYPLAZ12123G	
		420	2	NSYPLA12124G	NSYPLA12124TG	NSYPLAZ12124G	
		620	2	NSYPLA12126G	NSYPLA12126TG	NSYPLAZ12126G	
	1500	500	320	1	NSYPLA1553G	NSYPLA1553TG	NSYPLAZ1553G
			420	1	NSYPLA1554G	NSYPLA1554TG	NSYPLAZ1554G
750		320	1	NSYPLA1573G	NSYPLA1573TG	NSYPLAZ1573G	
		420	1	NSYPLA1574G	NSYPLA1574TG	NSYPLAZ1574G	
		620	1	NSYPLA1576G	NSYPLA1576TG	NSYPLAZ1576G	
1000		320	2	NSYPLA15103G	NSYPLA15103TG	NSYPLAZ15103G	
		420	2	NSYPLA15104G	NSYPLA15104TG	NSYPLAZ15104G	
1250		320	2	NSYPLA15123G	NSYPLA15123TG	NSYPLAZ15123G	
		420	2	NSYPLA15124G	NSYPLA15124TG	NSYPLAZ15124G	
		620	2	NSYPLA15126G	NSYPLA15126TG	NSYPLAZ15126G	
2000		750	420	2*	NSYPLA2074G	NSYPLA2074TG	NSYPLAZ2074G

* Two doors in vertical.

⁽¹⁾ Recommended to protect against the direct sun radiation.

Selection guide

Polyester floor-standing enclosures

PB502800-21



PB502801-19




Dimensions (mm)				Enclosures with ventilated canopy, IP44	Enclosures with open bottom part and ventilated canopy, IP44
References of enclosures with door					
Height (A)	Width (B)	Depth (C)	N° of doors	Plain	Plain
500	500	320	1	NSYPLAT553G	NSYPLAZT553G
		420	1	NSYPLAT554G	NSYPLAZT554G
	750	320	1	NSYPLAT573G	NSYPLAZT573G
		420	1	NSYPLAT574G	NSYPLAZT574G
	1000	320	2	NSYPLAT5103G	NSYPLAZT5103G
		420	2	NSYPLAT5104G	NSYPLAZT5104G
	1250	320	2	NSYPLAT5123G	NSYPLAZT5123G
		420	2	NSYPLAT5124G	NSYPLAZT5124G
750	500	320	1	NSYPLAT753G	NSYPLAZT753G
		420	1	NSYPLAT754G	NSYPLAZT754G
	750	320	1	NSYPLAT773G	NSYPLAZT773G
		420	1	NSYPLAT774G	NSYPLAZT774G
	1000	620	1	NSYPLAT776G	NSYPLAZT776G
		320	2	NSYPLAT7103G	NSYPLAZT7103G
	1250	420	2	NSYPLAT7104G	NSYPLAZT7104G
		320	2	NSYPLAT7123G	NSYPLAZT7123G
1000	500	420	2	NSYPLAT7124G	NSYPLAZT7124G
		320	1	NSYPLAT1053G	NSYPLAZT1053G
	750	420	1	NSYPLAT1054G	NSYPLAZT1054G
		320	1	NSYPLAT1073G	NSYPLAZT1073G
	1000	420	1	NSYPLAT1074G	NSYPLAZT1074G
		320	2	NSYPLAT10103G	NSYPLAZT10103G
	1250	420	2	NSYPLAT10104G	NSYPLAZT10104G
		320	2	NSYPLAT10123G	NSYPLAZT10123G
1250	500	420	2	NSYPLAT10124G	NSYPLAZT10124G
		320	1	NSYPLAT1253G	NSYPLAZT1253G
	750	420	1	NSYPLAT1254G	NSYPLAZT1254G
		320	1	NSYPLAT1273G	NSYPLAZT1273G
	1000	420	1	NSYPLAT1274G	NSYPLAZT1274G
		620	1	NSYPLAT1276G	NSYPLAZT1276G
	1250	320	2	NSYPLAT12103G	NSYPLAZT12103G
		420	2	NSYPLAT12104G	NSYPLAZT12104G
1500	500	320	2	NSYPLAT12123G	NSYPLAZT12123G
		420	2	NSYPLAT12124G	NSYPLAZT12124G
	750	620	2	NSYPLAT12126G	NSYPLAZT12126G
		320	1	NSYPLAT1553G	NSYPLAZT1553G
	1000	420	1	NSYPLAT1554G	NSYPLAZT1554G
		320	1	NSYPLAT1573G	NSYPLAZT1573G
	1250	420	1	NSYPLAT1574G	NSYPLAZT1574G
		620	1	NSYPLAT1576G	NSYPLAZT1576G
2000	750	320	2	NSYPLAT15103G	NSYPLAZT15103G
		420	2	NSYPLAT15104G	NSYPLAZT15104G
	1000	320	2	NSYPLAT15123G	NSYPLAZT15123G
		420	2	NSYPLAT15124G	NSYPLAZT15124G
	1250	620	2	NSYPLAT15126G	NSYPLAZT15126G
		320	2	NSYPLAT2074G	NSYPLAZT2074G
	2000	420	2*	NSYPLAT2074G	NSYPLAZT2074G

* Two doors in vertical.

Selection guide

Polyester floor-standing enclosures

Mounting accessories



Dimensions (mm)			Metallic mounting plates		Insulating mounting plates		Modular distribution chassis		Internal door
Height	Width	N° of doors	Plain	Telequick	Polyester	Bakelite			
			Page 198		Page 198		Page 200		Page 196
500	500	1	NSYPMM55	NSYPMR55	NSYPMA55	NSYPMB55	-	-	NSYPAPLA55G
	750	1	NSYPMM75	NSYPMR57	NSYPMA75	NSYPMB75	-	-	NSYPAPLA57G
	1000	2	NSYPMM510	2 x NSYPMR55	NSYPMA510	NSYPMB510	-	-	2 x NSYPAPLA55G
	1250	2	NSYPMM55 + NSYPMM75	NSYPMR55 + NSYPMR57	NSYPMA55 + NSYPMA75	NSYPMB55 + NSYPMB75	-	-	NSYPAPLA55G + NSYPAPLA57G
750	500	1	NSYPMM75	NSYPMR75	NSYPMA75	NSYPMB75	NSYDLP76G	NSYDLP57G	NSYPAPLA75G
	750	1	NSYPMM77	NSYPMR77	NSYPMA77	NSYPMB77	NSYDLP132G	NSYDLP99G	NSYPAPLA77G
	1000	2	NSYPMM710	2 x NSYPMR75	NSYPMA710	NSYPMB710	2 x NSYDLP76G	2 x NSYDLP57G	2 x NSYPAPLA75G
	1250	2	NSYPMM712	NSYPMR75 + NSYPMR77	NSYPMA712	NSYPMB712	NSYDLP76G + NSYDLP132G	NSYDLP57G + NSYDLP99G	NSYPAPLA75G + NSYPAPLA77G
1000	500	1	NSYPMM105	NSYPMR105	NSYPMA105	NSYPMB105	NSYDLP114G	NSYDLP95G	NSYPAPLA105G
	750	1	NSYPMM107	NSYPMR107	NSYPMA107	NSYPMB107	NSYDLP198G	NSYDLP165G	NSYPAPLA107G
	1000	2	NSYPMM1010	2 x NSYPMR105	NSYPMA1010	NSYPMB1010	2 x NSYDLP114G	2 x NSYDLP95G	2 x NSYPAPLA105G
	1250	2	NSYPMM1012	NSYPMR105 + NSYPMR107	NSYPMA1012	NSYPMB1012	NSYDLP114G + NSYDLP198G	NSYDLP95G + NSYDLP165G	NSYPAPLA105G + NSYPAPLA107G
1250	500	1	NSYPMM125	NSYPMR125	NSYPMA125	NSYPMB125	NSYDLP133G	NSYDLP114PG	NSYPAPLA125G
	750	1	NSYPMM127	NSYPMR127	NSYPMA127	NSYPMB127	NSYDLP231G	NSYDLP198PG	NSYPAPLA127G
	1000	2	NSYPMM1210	2 x NSYPMR125	NSYPMA1210	NSYPMB1210	2 x NSYDLP133G	2 x NSYDLP114PG	2 x NSYPAPLA125G
	1250	2	NSYPMM1212	NSYPMR125 + NSYPMR127	NSYPMA1212	NSYPMB1212	NSYDLP133G + NSYDLP231G	NSYDLP114PG + NSYDLP198PG	NSYPAPLA125G + NSYPAPLA127G
1500	500	1	NSYPMM155	NSYPMR155	-	NSYPMB155	NSYDLP171G	NSYDLP152G	NSYPAPLA155G
	750	1	NSYPMM157	NSYPMR157	-	NSYPMB157	NSYDLP297G	NSYDLP264G	NSYPAPLA157G
	1000	2	NSYPMM1510	2 x NSYPMR155	-	NSYPMB1510	2 x NSYDLP171G	2 x NSYDLP152G	2 x NSYPAPLA155G
	1250	2	NSYPMM1512	NSYPMR155 + NSYPMR157	-	NSYPMB1512	NSYDLP171G + NSYDLP297G	NSYDLP152G + NSYDLP264G	NSYPAPLA155G + NSYPAPLA157G
2000	750	2	NSYPMM207	2 x NSYPMR107	2 x NSYPMA107	2 x NSYPMB107	-	-	-

Step slides



Page 203

Uprights and mounting rails



Page 199

Door retainer




Page 196

Selection guide

Polyester floor-standing enclosures

Composition accessories



Dimensions (mm)		N plinth	H plinth	ZA plinth	ZZ plinth		Floor-fixing frame	Canopy	Cable-entry plate
Width	Depth	Height 60 mm	Height 900 mm	Height 200 mm	Height 200 mm	Height 500 mm			
		Page 193	Page 195	Page 192	Page 194		Page 195	Page 191	Page 191
500	320	NSYZNPLA53G	NSYZHPLA53G	NSYZA253G	NSYZZ253G	NSYZZ553G	NSYMFPLAZ53	NSYTJPLA53G	NSYECPLAZ53G
	420	NSYZNPLA54G	NSYZHPLA54G	NSYZA254G	NSYZZ254G	NSYZZ554G	NSYMFPLAZ54	NSYTJPLA54G	NSYECPLAZ54G
750	320	NSYZNPLA73G	NSYZHPLA73G	NSYZA273G	NSYZZ273G	NSYZZ573G	NSYMFPLAZ73	NSYTJPLA73G	NSYECPLAZ73G
	420	NSYZNPLA74G	NSYZHPLA74G	NSYZA274G	NSYZZ274G	NSYZZ574G	NSYMFPLAZ74	NSYTJPLA74G	NSYECPLAZ74G
1000	620	-	-	NSYZA276G	NSYZZ276G	-	NSYMFPLAZ76	NSYTJPLA76G	NSYECPLAZ76G
	320	NSYZNPLA103G	NSYZHPLA103G	NSYZA2103G	NSYZZ2103G	NSYZZ5103G	NSYMFPLAZ103	NSYTJPLA103G	NSYECPLAZ103G
1250	420	NSYZNPLA104G	NSYZHPLA104G	NSYZA2104G	NSYZZ2104G	NSYZZ5104G	NSYMFPLAZ104	NSYTJPLA104G	NSYECPLAZ104G
	320	NSYZNPLA123G	NSYZHPLA123G	NSYZA2123G	NSYZZ2123G	NSYZZ5123G	NSYMFPLAZ123	NSYTJPLA123G	NSYECPLAZ123G
1250	420	NSYZNPLA124G	NSYZHPLA124G	NSYZA2124G	NSYZZ2124G	NSYZZ5124G	NSYMFPLAZ124	NSYTJPLA124G	NSYECPLAZ124G
	620	-	-	NSYZA2126G	NSYZZ2126G	-	NSYMFPLAZ126	NSYTJPLA126G	NSYECPLAZ126G

VDI accessories



Dimensions (mm)		19" fixed chassis		19" swing chassis	
Height	Width	References	Number of U	References	Number of U
		Page 205		Page 205	
500	750	NSYBRF8PLAG	8	NSYBRP7PLAG	7
750	750	NSYBRF12PLAG + NSYSPLA75	12	NSYBRP11PLAG + NSYSPLA75	11
1000	750	NSYBRF17PLAG + NSYSPLA100	17	NSYBRP16PLAG + NSYSPLA100	16
1250	750	NSYBRF21PLAG + NSYSPLA125	21	NSYBRP20PLAG + NSYSPLA125	20
1500	750	NSYBRF26PLAG + NSYSPLA150*	26	NSYBRP25PLAG + NSYSPLA150*	25
2000	750	2 x NSYBRF17PLAG + 2 x NSYSPLA100 + NSYPTZ4	2 x 17	2 x NSYBRP16PLAG + 2 x NSYSPLA100	2 x 16

* not compatible with NSYCAAPVHD.

Door switch



Page 196

Insert



Page 204

Document pocket



Page 280

VDI accessories and fixings



Page 247

Coupling Kit




Page 190

Anti-graffiti paint



Page 191

Handles and inserts



Page 197

Wall-fixing lug



Page 191