# Organisation and efficiency in the workplace
# The Weidmüller tool chest
## Let's connect.

**Weidmüller** ⯈⯇

# Organisation and efficiency in the workplace
## The Weidmüller tool chest with interchangable tool inserts

Wiring a cabinet is a time consuming process, but a very important one. With the Weidmüller tool chest, tools and working materials can be organised optimally for quick and efficient access at any time. This saves time and reduces costs.

The Weidmüller tool chest combines the best quality with intelligent features, that incorporate foam inlays that are perfectly tailored to the drawers. Thanks to their three-part division, individual drawer layouts fit together so that tools are sorted according to their application. A label next to each tool cavity indicates which tool belongs in the space, this allows quick identification should a tool be missing. The incorporated QR-code links directly to relevant information for the tool inclubing helpful application videos found in the online catalogue.



**Simple Expansion**
Perforated side walls and an optional rear panel allow expansion of the storage possibilities thanks to standard accessories.



**Great flexibility**
The three-part foam inserts enable application specific drawer layouts. The moulds of the tool inserts have a universal design making them suitable for different tools.



**Distinct labelling**
Easy to read labels show the name and article number of the tool whilst indicating the correct cavity. A QR-code links to further information about the tool in the online catalogue.

## Your special advantages

- Three-part foam inserts with universal tool cavities for maximal flexibility
- Labelling fields with QR-codes for quick identification of missing tools
- standard accessories allow easy expansion

example application

# The Weidmüller tool chest
## Organisation of tools and working materials

The Weidmüller tool chest offers the foundation for your mobile production station and can be extended flexibly to suit your processes. Space effciency, functionality and optimised ergonomics characterise this new member of the Weidmüller family.

- **Optimal loads:** 40 kg per drawer, 400 kg capacity
- **Ideal space availabilty:** 6 drawers offer internal dimensions of 600mm x 447mm (height: 2 x 75 mm / 2 x 100 mm / 1 x 150 mm / 1 x 200 mm)
- **Full utilisation:**  the fully extendable drawers with optimal heights ensure the full utilisation of the tool chest
- **Safety first:** the double sided locking mechanism ensures the drawers remain closed when moving the tool chest
- **Flexible customisation options:** perforated side and rear walls allow the easy fitting of accessories to increase the storage options
- **User friendly:** the sturdy anodised aluminium handle ensures the perfect connection to the tool chest
- **Fully mobile:** the fixed and swivel castor wheels (100mm) with solid rubber tyres ensure smooth movement
- **Optimised working surface:** non-slip surface and small parts compartments deliver the perfect working surface
- **Robust:** ABS plastic protects the edges of the tool chest

### Tool chest empty

| Type | Description of article | Depth / Width / Height (mm) | Weight | Qty. | Order No. |
|---|---|---|---|---|---|
| Tool chest | Tool chest empty | 894 / 525 / 928 | 75 kg | 1 | 2683640000 |

The combination of highly intelligent features and premium quality tools turns this tool chest into a mobile workplace:

- Tool chest with 10 fully fitted inlays focused on electrical and mechanical assembly jobs
- Contains over 100 premium quality tools
- Developed according to 5S and lean principles to reduce the time required to find, remove, clean and inspect the tools, saving up to 40 minutes a day

## Overview content tool chest set

**Foam insert universal**
more details on page 7

**Included battery charger DMS PRO**
(9007460000)

**Foam insert 16mm²**
more details on page 8

**Foam insert pliers**
more details on page 8

**Foam insert 50 mm²**
more details on page 9

**Foam insert screwdriver**
more details on page 9

**Foam insert spanners**
more details on page 10

**Foam insert socket set**
more details on page 10

**Foam insert testers**
more details on page 11

**Foam insert multimeter**
more details on page 11

**Foam insert digital clamp-on measuring device**
more details on page 12

## Tool chest set

| Type | Description of article | Depth / Width / Height (mm) | Weight | Qty. | Order No. |
|------|------------------------|------------------------------|--------|------|-----------|
| Tool chest set | Tool chest equipped | 894 / 525 / 928 | 85,5 kg | 1 | **2709760000** |

# Weidmüller tool chest accessories
## Additional equipment for individual applications

**Perforated wall**
Optional perforated rear wall made of sheet steel with square perforation 10 x10 mm.
Outside dimensions 640 x 660 mm.

**Container strip**
Additional container strip made of sheet steel with safety angle and a capacity of up to 15 kg.
For mounting onto perforated wall.

**Side shelf**
Provides additional working space of 380 x 310 mm incl. non slip mat.

**Paper roll holder**
The paper roll holder offers space for roles with diameter of 400 mm and a length of 360 mm.

**Spray can holder**
The optional spray can holder has a height of 70 mm and a width of 380 mm.

**Waste bin**
An additional waste bin allows cleanliness at your workplace with a 14 liter capacity.

**TFT-monitor holder**
To include flat screens with VESA-base plate. 75 x 75 mm or 100 x 100 mm perforations. The holder allows a stepless inclination of the monitor.
For mounting onto container strip.

## Accessories tool chest

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC LORW | Perforated wall | 1 | 2683650000 |
| TC BHLE | Container strip | 1 | 2683660000 |
| TC ZUAL | Side shelf | 1 | 2683670000 |
| TC PRHA | Paper roll holder | 1 | 2683680000 |
| TC SDHA | Spray can holder | 1 | 2683690000 |
| TC ABFBH | Waste bin | 1 | 2683700000 |
| TC TFTHA | TFT-monitor holder | 1 | 2683710000 |

# Foam inserts
## Maximum flexibility through modular principle

Inspired by 5S and lean management methods, Weidmüller foam inserts ensure an efficient and tidy workplace. Designed according to a modular principle, they offer many advantages and can be selected according to individual requirements:

- Large format foam insert (600 x 447 mm) with all the tools for the most frequent work processes in the cabinet
- Three-part foam inserts (200 x 447 mm) offer maximum flexibility in the individual assembly of the tool chest
- Free arrangement in the Weidmüller tool chest possible
- QR-code next to each tool leads directly to the online catalog with useful information and application videos
- All inserts are available either fully equiped and labelled or as empty version

## Foam insert universal
### Assembly

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| Weidmüller pen | ball pen | 1 | * |
| EDDING 8404 | 0.75 mm black | 1 | * |
| DEEP HOLE MARKER | incl. pencil sharpener | 1 | * |
| folding ruler | Weidmüller Edition 2 m | 1 | **2683990000** |
| SD TO 0,6 x 3,0 | Screwdriver slotted 3 mm bended | 1 | **1323880000** |
| Swifty Set | Combined cutting/screwing tool | 1 | **9006060000** |
| FRZ S 200 | VDE-insulated long-nose pliers 200 mm | 1 | **9046380000** |
| KT 8 | Cutting tool up to 8 mm outer-Ø | 1 | **9002650000** |
| Stripax® | Stripping tools up to 10 mm² | 1 | **9005000000** |
| PZ 6 roto L | Crimping tool for Wire-end ferrules up to 6 mm² | 1 | **1444050000** |
| CTI 6 | Crimping tool for Insulated connector | 1 | **9006120000** |
| Super Cut | Electronic diagonal-cutting pliers | 1 | **9205150000** |
| AM 16 | Sheathing strippers up to 16 mm outer-Ø | 1 | **9204190000** |
| Fleximet 5m | Tape measure 5 m | 1 | **2534210000** |
| Slicer 1K | Electrician's knife | 1 | **9918160000** |
| DMS PRO*** | Cordless torque screwdriver | 1 | **1479120000**** |
| AKKU DMS PRO | Battery cordless torque screwdriver | 1 | **1479110000**** |
| BIT E6,3 0,4 x 2,5 x 70 | Screwdriver bit slotted 2.5 mm | 1 | **9202750000** |
| BIT E6,3 0,6 x 3,5 x 70 | Screwdriver bit slotted 3.5 mm | 1 | **9024020000** |
| BIT E6,3 1,0 x 5,5 x 70 | Screwdriver bit slotted 5.5 mm | 1 | **9024040000** |
| BIT E6,3 PZ1 x 70 | Screwdriver bit PZ1 | 1 | **9024100000** |
| BIT E6,3 PZ2 x 70 | Screwdriver bit PZ2 | 1 | **9024110000** |
| BIT E6,3 T15 | Screwdriver bit T15 | 1 | **1318350000** |
| BIT E6,3 T20 | Screwdriver bit T20 | 1 | **1318370000** |
| BIT E6,3 T40 | Screwdriver bit T40 | 1 | **1318380000** |

### Ordering data

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| TC INL BIG 1 | foam insert universal big | 1 | **2683720000**** |
| TC INL BIG EMPTY 1 | foam insert universal big empty | 1 | **2683730000** |

*not available separately
**available in europe
***without battery charger (9007460000)

# Foam insert
## Maximum flexibility through modular principle

### Foam insert 16mm²

#### Assembly

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| Stripax 16 | Stripping tool up to 16 mm² | 1 | **9005610000** |
| PZ 16 | Crimping tools for wire end ferrules up to 16 mm² | 1 | **9012600000** |
| CST | Sheathing strippers 6r coaxid cables | 1 | **9030500000** |
| KT 8 | Cutting tool up to 8 mm diameter outer-Ø | 1 | **9002650000** |
| CASSETTE CST BROWN | cassettes 3 knifes 7.5 / 3.5 mm | 1 | **9032010000** |
| CASSETTE CST RED | cassettes 2 knifes 6 mm | 1 | **9032040000** |
| CASSETTE CST BLUE | cassettes 2 knifes 6.5 mm | 1 | **9032020000** |

#### Ordering data

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| TC INL THIRD 1 | Foam insert 16mm² + CST | 1 | **2683740000** |
| TC INL THIRD EMTPY 1 | Foam insert 16mm² + CST empty | 1 | **2683750000** |

### Foam insert pliers

#### Assembly

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| KBZ 180 | VDE-insulated combination pliers 180 mm | 1 | **9046290000** |
| SE HD 160 | VDE-insulated diagonal-cutting pliers 160 mm | 1 | **9046320000** |
| FRZ S 160 | VDE-insulated long-nose pliers 160 mm | 1 | **9046370000** |
| SK WSD S 1,5-10,0 | Allen key set | 1 | **9008850000** |

#### Ordering data

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| TC INL THIRD 2 | Foam insert pliers | 1 | **2683760000** |
| TC INL THIRD EMTPY 2 | Foam insert pliers empty | 1 | **2683770000** |

## Foam insert 50 mm²

### Assembly

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| KT 22 | Cutting tools up to 22 mm diameter outer-Ø | 1 | **1157830000** |
| PZ 50 | Crimping tools for wire end ferrules 25 / 35 / 50 mm² | 1 | **9006450000** |
| AM 25 | Sheathing strippers up to 25 mm outer-Ø | 1 | **9001540000** |
| AM 35 | Sheathing strippers up to 35 mm outer-Ø | 1 | **9001080000** |

### Ordering data

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 3 | Foam insert 50mm² | 1 | **2683780000** |
| TC INL THIRD EMTPY 3 | Foam insert 50 mm² empty | 1 | **2683790000** |

## Foam insert screwdriver

### Assembly

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| DMSI Manuell 0,5 - 1,7 | Torque screwdriver 0.5 -1.7 Nm | 1 | **9918390000** |
| WB SI SL 0,4 x 2,5 | Screwdriver bit Slotted 2.5 mm | 1 | **2433160000** |
| WB SI SL 0,5 x 3.0 | Screwdriver bit Slotted 3 mm | 1 | **2433170000** |
| WB SI SL 0,6 x 3,5 | Screwdriver bit Slotted 3.5 mm | 1 | **2433180000** |
| WB SI SL 0,8 x 4,0 | Screwdriver bit Slotted 4 mm | 1 | **2433190000** |
| WB SI SL 1,0 x 5,5 | Screwdriver bit Slotted 5.5 mm | 1 | **2433200000** |
| WB IK SL PZ1 | Screwdriver bit Posidrive PZ1 | 1 | **2433230000** |
| WB IK SL PZ2 | Screwdriver bit Posidrive PZ2 | 1 | **2433240000** |
| WB I SK 2,5 | Screwdriver bit Allenkey 2.5 mm | 1 | **2506050000** |
| WB I SK 3 | Screwdriver bit Allenkey 3 mm | 1 | **2506060000** |
| WB I SK 4 | Screwdriver bit Allenkey 4 mm | 1 | **2506070000** |
| WB I SK 5 | Screwdriver bit Allenkey 5 mm | 1 | **2506080000** |
| WB IK SL PH1 | Screwdriver bit Phillips PH1 | 1 | **2433210000** |
| WB IK SL PH2 | Screwdriver bit Phillips PH2 | 1 | **2433220000** |
| WB I T10 | Screwdriver bit Torx T10 | 1 | **2506000000** |
| WB I T15 | Screwdriver bit Torx T15 | 1 | **2506010000** |
| WB I T20 | Screwdriver bit Torx T20 | 1 | **2506020000** |
| WB I VK 1 | Screwdriver bit Robertson size 1 | 1 | **2506030000** |
| WB I VK 2 | Screwdriver bit Robertson size 2 | 1 | **2506040000** |
| SDI SL S3.5-6.5/PH1/2 | VDE-isulated torque screwdrivers slimline | 1 | **1274750000** |

### Ordering data

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 4 | Foam insert srewdriver | 1 | **2683800000** |
| TC INL THIRD EMTPY 4 | Foam insert srewdriver emtpy | 1 | **2683810000** |

# Foam insert
## Maximum flexibility through modular principle

### Foam insert spanners

**Assembly**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| Combination Spanner | 12 pcs. set 5.5 - 24 mm | 1 | * |
| Pack Hexa 8-13 | double -ended ring wrench set  8 - 13 mm | 1 | **9041260000** |

\* not available separately

**Ordering data**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 5 | Foam insert Spanners | 1 | **2683820000** |
| TC INL THIRD EMTPY 5 | Foam insert Spanners empty | 1 | **2683830000** |

### Foam insert socket set

**Assembly**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| Screwty Set | Special tool SAI | 1 | **1910000000** |
| Socketset | 1/4 inch  square 35 pcs. set | 1 | * |
| FleCaFix 11/24 | Cable gland tool 11 - 24 mm | 1 | **9015900000** |
| FleCaFix 24/36 | Cable gland tool 24 - 36 mm | 1 | **9015980000** |

\* not available separately

**Ordering data**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 6 | Foam insert Socket set | 1 | **2683840000** |
| TC INL THIRD EMTPY 6 | Foam insert Socket set empty | 1 | **2683850000** |

## Foam insert testers

### Assembly

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| VT M | Non-contact magnetic field tester | 1 | **2436680000** |
| VT LCL | Non-contact voltage tester | 1 | **2436670000** |
| VT Digi Pro | Digital voltage tester | 1 | **9918870000** |

### Ordering data

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 7 | Foam insert tester | 1 | **2683860000** |
| TC INL THIRD EMTPY 7 | Foam insert tester empty | 1 | **2683870000** |

## Foam insert multimeter

### Assembly

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| Temphaser | Multimeter | 1 | **9427300000** |

### Ordering data

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 8 | Foam insert multimeter | 1 | **2683880000** |
| TC INL THIRD EMTPY 8 | Foam insert multimeter empty | 1 | **2683890000** |

# Foam inserts
## Maximum flexibility through modular principle

### Foam insert digital clamp-on measuring device

**Assembly**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| Multimeter C 2606 | Digital clamp-on measuring device | 1 | **9427370000** |

**Ordering data**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD 9 | Foam insert Digital clamp-on measuring device | 1 | **2683900000** |
| TC INL THIRD EMTPY 9 | Foam insert Digital clamp-on measuring device empty | 1 | **2683910000** |

### Foam inserts free cavity

Weidmüller foam inserts offers 1, 2 or 3 free fields with the same size as the remaining inserts.

2683940000

2683950000

2683960000

**Ordering data**

| Type | Description of article | Qty. | Order No. |
|------|------------------------|------|-----------|
| TC INL THIRD EMTPY 1 FIELD | Foam insert 1 fields | 1 | **2683940000** |
| TC INL THIRD EMTPY 2 FIELDS | Foam insert 2 fields | 1 | **2683950000** |
| TC INL THIRD EMTPY 3 FIELDS | Foam insert 3 fields | 1 | **2683960000** |

# Consumables
## Greatest Quality of every detail

In addition to the right tool, the most common consumables should be available at the workplace. Nothing wastes more time and efficiency than constantly having to search for the correct small consumables.
With the Weidmüller inserts A8-1 CL 55 und A8-2 CL 55 consumables are arranged in a structured manner in the tool chest and are therefore quick and easy to find.

A selection of the most common articles with the usual great quality standards is shown here. A larger selection can be found in our tool or online catalog

http://catalog.weidmueller.com/catalog/Start.do

## Inserts
### Ordering data

| Type | Description of article | Qty. | Order No. |
|---|---|---|---|
| EINSATZ A8-1 CL55 | L/W/H 79/55/47 | 1 | 9028460000 |
| EINSATZ A8-2 CL55 | L/W/H 177/55/47 | 1 | 9028420000 |

## Wire-end ferrules
### Ordering data

| Type | Ø mm² | AWG | | Colour | Qty. | Order No. |
|---|---|---|---|---|---|---|
| H0,5/14D W | 0,5 | AWG 20 | ○ | white | 500 | 9019010000 |
| H0,75/14D GR | 0,75 | AWG 18 | ● | grey | 500 | 9019040000 |
| H1,0/14D R | 1,0 | AWG 17 | ● | red | 500 | 9019080000 |
| H1,5/14D SW | 1,5 | AWG 16 | ● | black | 500 | 9019120000 |
| H2,5/15D BL | 2,5 | AWG 14 | ● | blue | 500 | 9019160000 |
| H4,0/18D GR | 4,0 | AWG 12 | ● | grey | 500 | 9019190000 |
| H6,0/20D GE | 6,0 | AWG 10 | ● | yellow | 100 | 9019220000 |
| H10,0/22D R | 10,0 | AWG 7 | ● | red | 100 | 9019240000 |
| H16,0/22D BL | 16,0 | AWG 6 | ● | blue | 100 | 9019260000 |

## Twin wire-end ferrules
### Ordering data

| Type | Ø mm² | AWG | | Colour | Qty. | Order No. |
|---|---|---|---|---|---|---|
| H0,5/14D ZH W | 0.5 | AWG 20 | ○ | white | 500 | 9037380000 |
| H0,75/14D ZH GR | 0.75 | AWG 18 | ● | grey | 500 | 9037410000 |
| H1,0/15D ZH R | 1,0 | AWG 17 | ● | red | 500 | 9037440000 |
| H1,5/16D ZH SW | 1.5 | AWG 16 | ● | black | 500 | 9037470000 |
| H2,5/19D ZH BL | 2.5 | AWG 14 | ● | blue | 500 | 9037500000 |
| H4,0/22D ZH GR | 4.0 | AWG 12 | ● | grey | 100 | 9037530000 |
| H6,0/23D ZH GE | 6.0 | AWG 10 | ● | yellow | 100 | 9037550000 |
| H10,0/24D ZH R | 10.0 | AWG 7 | ● | red | 100 | 9037570000 |
| H16,0/29D ZH BL | 16.0 | AWG 6 | ● | blue | 50 | 9037590000 |

# Consumables
## Greatest quality of every detail

### Insulated cable
**Ordering data**

**Ring-cable connector**

| Type | Dimension mm² | | Colour | Qty. | Order No. |
|------|---------------|--|--------|------|-----------|
| LIR 1,5M4 V | 0,5 - 1,5 M4 | ● | red | 100 | 9200090000 |
| LIR 2,5M5 V | 1,5 - 2,5 M5 | ● | blue | 100 | 9200180000 |
| LIR 6M6 V | 4 - 6 M6 | ● | yellow | 100 | 9200250000 |

**Forked-cable connector**

| Type | Dimension mm² | | Colour | Qty. | Order No. |
|------|---------------|--|--------|------|-----------|
| LIS 1,5M4 V | 0,5 - 1,5 M4 | ● | red | 100 | 9200310000 |
| LIS 2,5M5 V | 1,5 - 2,5 M5 | ● | blue | 100 | 9200380000 |
| LIS 6M6 V | 4 - 6 M6 | ● | yellow | 100 | 9200430000 |

**Pin-cable connector**

| Type | Dimension mm² | | Colour | Qty. | Order No. |
|------|---------------|--|--------|------|-----------|
| LIP 1,5R12 V | 0,5 - 1,5 | ● | red | 100 | 9200460000 |
| LIP 2,5R12 V | 1,5 - 2,5 | ● | blue | 100 | 9200470000 |
| LIP 6,0R14 V | 4 - 6 | ● | yellow | 100 | 9200480000 |

### Cable ties
**Ordering data**

| Type | Description | Hight x Width | | Colour | Qty. | Order No. |
|------|-------------|---------------|--|--------|------|-----------|
| CB 98/2.5 BLACK | Cable tie | 98 x 2.5 mm | ● | black | 100 | 1697890000 |
| CB 140/3.5 BLACK | Cable tie | 140 x 3.5 mm | ● | black | 100 | 1697900000 |
| CB 160/4.5 BLACK | Cable tie | 160 x 4.5 mm | ● | black | 100 | 1723560000 |
| CBH 19/19 BLACK | Holder | 19 x 19 mm | ● | black | 100 | 1697950000 |
| CBH 27/27 SW | Holder | 27 x 27 mm | ● | black | 100 | 1697960000 |

### TM-sleeves
**Ordering data**

| Type | Hight x Width | Conductor O.D. | Qty. | Order No. |
|------|---------------|----------------|------|-----------|
| TM 201/18 V0 | 18 x 5 mm | 1,5 - 2,5 mm | 100 | 1798600000 |
| TM 202/18 V0 | 18 x 5 mm | 2 - 4 mm | 100 | 1798530000 |
| TM 203/18 V0 | 18 x 5 mm | 4 - 6 mm | 500 | 1798480000 |
| TM 204/18 V0 | 18 x 5 mm | 6 - 10 mm | 500 | 1806300000 |

# Maximum flexibility and individuality
## Create your own Weidmüller tools chest

| Order No | Type | Description of article | Qty. | Order |
|---|---|---|---|---|
| 2683640000 | Tool Chest | Tool chest empty | 1 | ☐ |

## Tools chest accessories

| Order No. | Type | Description of article | Qty. | Order |
|---|---|---|---|---|
| 2683650000 | TC LORW | Preforated wall | 1 | ☐ |
| 2683660000 | TC BHLE | Container strip | 1 | ☐ |
| 2683670000 | TC ZUAL | Side shelf | 1 | ☐ |
| 2683680000 | TC PRHA | Paper roll holder | 1 | ☐ |
| 2683690000 | TC SDHA | Spray can holder | 1 | ☐ |
| 2683700000 | TC ABFBH | Waste bin | 1 | ☐ |
| 2683710000 | TC TFTHA | TFT-monitor holder | 1 | ☐ |

## Foam inserts equiped

| Order No. | Type | Description of article | Qty. | Order |
|---|---|---|---|---|
| 2683720000 | TC INL BIG 1 | Foam inserts universal big | 1 | ☐ |
| 2683740000 | TC INL THIRD 1 | Foam inserts 16 mm² + CST | 1 | ☐ |
| 2683760000 | TC INL THIRD 2 | Foam inserts pliers | 1 | ☐ |
| 2683780000 | TC INL THIRD 3 | Foam inserts 50 mm² | 1 | ☐ |
| 2683800000 | TC INL THIRD 4 | Foam inserts screwdriver | 1 | ☐ |
| 2683820000 | TC INL THIRD 5 | Foam inserts spanner | 1 | ☐ |
| 2683840000 | TC INL THIRD 6 | Foam inserts Socket set | 1 | ☐ |
| 2683860000 | TC INL THIRD 7 | Foam inserts tester | 1 | ☐ |
| 2683880000 | TC INL THIRD 8 | Foam inserts multimeter | 1 | ☐ |
| 2683900000 | TC INL THIRD 9 | Foam inserts current-measuring clamp-on attachment | 1 | ☐ |

## Foam inserts unequipped

| Order No. | Type | Description of article | Qty. | Order |
|---|---|---|---|---|
| 2683730000 | TC INL BIG EMPTY 1 | Foam inserts universal big empty | 1 | ☐ |
| 2683750000 | TC INL THIRD EMTPY 1 | Foam inserts 16 mm² + CST empty | 1 | ☐ |
| 2683770000 | TC INL THIRD EMPTY 2 | Foam inserts pliers empty | 1 | ☐ |
| 2683790000 | TC INL THIRD EMPTY 3 | Foam inserts 50 mm² empty | 1 | ☐ |
| 2683810000 | TC INL THIRD EMPTY 4 | Foam inserts screwdriver empty | 1 | ☐ |
| 2683830000 | TC INL THIRD EMPTY 5 | Foam inserts Spanner empty | 1 | ☐ |
| 2683850000 | TC INL THIRD EMPTY 6 | Foam inserts Socket set empty | 1 | ☐ |
| 2683870000 | TC INL THIRD EMPTY 7 | Foam inserts tester empty | 1 | ☐ |
| 2683890000 | TC INL THIRD EMPTY 8 | Foam inserts multimeter empty | 1 | ☐ |
| 2683910000 | TC INL THIRD EMTPY 9 | Foam inserts current-measuring clamp-on attachment empty | 1 | ☐ |
| 2683940000 | TC INL THIRD EMTPY 1 FIELD | Foam inserts 1 fields | 1 | ☐ |
| 2683950000 | TC INL THIRD EMTPY 2 FIELDS | Foam inserts 2 fields | 1 | ☐ |
| 2683960000 | TC INL THIRD EMTPY 3 FIELDS | Foam inserts 3 fields | 1 | ☐ |

**Weidmüller – Your partner in Industrial Connectivity**

As experienced experts we support our customers and partners around the world with products, solutions and services in the industrial environment of power, signal and data. We are at home in their industries and markets and know the technological challenges of tomorrow. We are therefore continuously developing innovative, sustainable and useful solutions for their individual needs. Together we set standards in Industrial Connectivity.

**Let's connect.**

Made in Germany